DOCKET NO.: THOM-0038 PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:

Confirmation No.: 5266

Zia Shlaimoun

Application No.: 10/519,514 Group Art Unit: 2838

Filing Date: September 23, 2005 Examiner: Laxton, Gary L.

For: METHOD AND DEVICE FOR CONTROLLING VOLTAGE

PETITION FOR REVIVAL OF AN APPLICATION FOR PATENT ABANDONED UNINTENTIONALLY PURSUANT TO 37 CFR § 1.137(b)

The above-identified application became abandoned for failure to file a timely and proper reply to the official action mailed on June 23, 2006, which set a three (3) month period for reply. The date of abandonment is the day after the expiration date of the period set for reply plus any extensions of time obtained therefor.

Applicant's undersigned attorney hereby states that the entire delay in filing the required reply from the due date for the reply until the filing of a grantable petition under 37 CFR § 1.137(b) was unintentional.

The required reply and/or fee as noted above is attached hereto and applicant requests immediate reinstatement of this application upon granting of this petition.

\boxtimes	Small Business entity - fee \$750.00
	Applicant has previously claimed small entity status under 37 CFR § 1.27.
	Other than a Small Entity - fee \$1,500.00.
	Was filed on or before June 8, 1995 if so check box below).
	A terminal disclaimer and disclaimer fee (37 CFR § 1.20(d)) disclaiming a period equivalent to the period of abandonment is enclosed herewith. (See PTO/SB/63)
	A check in the amount of <u>\$.00</u> is attached.
\boxtimes	Please charge Deposit Account No. 23-3050 in the amount of \$750.00.

DOCKET NO.: THOM-0038

The Commissioner is hereby authorized to charge any deficiency or credit any overpayment of the fees associated with this communication to Deposit Account No. 23-3050.

Date: March 30, 2007

Michael P. Dunnam Registration No. 32,611

Woodcock Washburn LLP Cira Centre 2929 Arch Street, 12th Floor Philadelphia, PA 19104-2891 Telephone: (215) 568-3100 Facsimile: (215) 568-3439

© 2007 WW